

A2 - Support #83

unloading pointer handlers ?

11 November 2019 18:19 - Patrick Hunziker

Status: Closed	
Priority: Normal	
Assignee:	
Category: Application Code	
Target version:	
Description	
<p>Enclosed is a realtime interface browser for imported procedures that can be installed by calling ProcedureSignatures.Install ~ inside a PET window. It finds the interface for most imported (1-level down) procedures when the mouse is over a procedure name.</p> <p>I have problems with unloading the pointer handler on ProcedureSignatures.UnInstall ~, though. Any ideas how to uninstall the handler ? Thanks</p>	

History

#1 - 15 November 2019 15:42 - Felix Friedrich

- Status changed from New to Feedback

I don't know your plan here. But have you already had a look into TFPet, which (at least used to be able to) support auto-completion, variable renaming etc.

#2 - 15 November 2019 15:54 - Felix Friedrich

- Category set to Application Code

#3 - 15 November 2019 17:00 - Patrick Hunziker

I have looked at that but got no intuitive functionality: It is little commented and it seems that correct functionality of TFPET.Mod depends on TFTypeSys.Mod that represents source code in an intermediate format.
Is this still applicable to the current version of the language ?

#4 - 17 November 2019 23:33 - Patrick Hunziker

initial problem solved...

#5 - 27 November 2019 15:02 - Florian Negele

- Status changed from Feedback to Closed

Files

ProcedureSignatures.Mod

8.43 KB 11 November 2019

Patrick Hunziker